



## 2.CERTIFICATE OF EXAMINATION

ASH 920

Complete

Score	55 / 56 (98.21%)	Flagged items	0	Actions	0
-------	------------------	---------------	---	---------	---

**Site conducted** JH007 Dunstable Road, Redbourn

**Conducted on** 8 Dec 2025 9:20 AM GMT

**Prepared by** Andrew Gibbins

**Location** Spectrum house, Dunstable Rd, St Albans, Redbourn, St Albans AL3 7PR, UK  
(51.8067244, -0.4019625)

**Asset** ASH 920  
9 Ton Dumper - Dumper 9T  
Thwaites MACH 2290

**Asset serial number** SLCM22902107F59552

**Asset hours** 1308

**Supply multiple photo's of asset - all sides, any damage etc**



Photo 1



Photo 2



Photo 3



Photo 4

Power unit	11 / 11 (100%)
Oil level	Acceptable
Water/Antifreeze level	Acceptable
Belt tension/Condition	Acceptable
Mountings	Acceptable
Emissions/Exhaust	Acceptable
Oil leaks	Acceptable
Hoses & pipes	Acceptable
Gauges/Warning indicators	Acceptable
Turbo	Acceptable
Air cleaner/Indicator	Acceptable
Spark Arrestor	N/A

<b>Transmission</b>		5 / 5 (100%)
<b>Oil levels/Leaks</b>		Acceptable
<b>Controls/Operations</b>		Acceptable
<b>Drive shafts/Axles</b>		Acceptable
<b>Hub reduction units/levels</b>		Acceptable
<b>Transfer box/levels</b>		Acceptable

<b>Brakes</b>	5 / 5 (100%)
<b>Air/Hydraulic leaks</b>	Acceptable
<b>Drums/Discs/Pads/Shoes</b>	Acceptable
<b>Foot/Hand controls</b>	Acceptable
<b>Cables/Rods/Pipes</b>	Acceptable
<b>Fluid levels/Efficiency</b>	Acceptable

Steering		6 / 6 (100%)
Box/Column/Wheel		Acceptable
King Pins/Bushes		Acceptable
Ramp/Pump/Hoses		Acceptable
Track Rods/Steering Arms		Acceptable
Linkages/Ball joints		Acceptable
Oil levels/Leakes		Acceptable

<b>Running Gear</b>		5 / 5 (100%)
<b>Tyres/Wheels/Tracks</b>		Acceptable
<b>Wheel bearings</b>		Acceptable
<b>Axle security</b>		Acceptable
<b>Over run brake rods/cable</b>		Acceptable
<b>Towing/Frame Attachments</b>		Acceptable

<b>Fuel System</b>	4 / 4 (100%)
<b>Fuel tank/Security</b>	Acceptable
<b>Fuel line/leaks</b>	Acceptable
<b>Filters/Pumps</b>	Acceptable
<b>Fuel level/Gauge</b>	Acceptable

<b>Hydraulics</b>		4 / 5 (80%)
<b>Rams</b>		Acceptable
<b>Pumps/Hoses/Pipes</b>		Acceptable
<b>Safety indicators</b>		Acceptable
<b>Oil levels/leaks</b>		Acceptable
<b>Controls</b>		



<b>Electrical</b>	10 / 10 (100%)
<b>Battery</b>	Acceptable
<b>Alternator/Charging</b>	Acceptable
<b>Wiring</b>	Acceptable
<b>Fuses/Circuit breakers</b>	Acceptable
<b>Lights/Indicators</b>	Acceptable
<b>Warning Indicators</b>	Acceptable
<b>Outlet sockets</b>	N/A
<b>Limit/Proximity switches</b>	N/A
<b>Safety Devices</b>	Acceptable
<b>Warning Devices</b>	Acceptable

<b>Cab</b>	5 / 5 (100%)
<b>Seating/Belts</b>	Acceptable
<b>Structure/Rops</b>	Acceptable
<b>Glass/Mirrors</b>	Acceptable
<b>Mountings</b>	Acceptable
<b>Safe access to components, struts and hinges all in working order</b>	Yes

**Sign off**

**Engineers name & signature**

*AG/MS*

8 Dec 2025 9:24 AM GMT

Media summary



Photo 1



Photo 2



Photo 3



Photo 4